Safety Data Sheet according to Regulation (EU) 2015/830 Date of issue: 8/10/2016 Revision date: 11/8/2018



Version: 2.0

1.1. Product identifier	
Product form	: Mixture
Product name	: ARDEX A 38
Product code	: 18275
1.2. Relevant identified uses of the s	substance or mixture and uses advised against
1.2.1. Relevant identified uses	
Main use category	: Construction materials
Use of the substance/mixture	: Screeding
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the sat	fety data sheet
Manufacturer Ardex UK Limited Homefield Road CB9 8QP Haverhill Suffolk T 01440 714939 - F 01440 716667 E-mail address of competent person respon	sible for the SDS : <u>safetydatasheets@ardex.co.uk</u>
1.4. Emergency telephone number	
Emergency number	: +44 (0) 870 190 6777
3 • • • •	24 Hours
SECTION 2: Hazards identificatio	
2.1. Classification of the substance	
Classification according to Regulation (E	
Category 1 Specific target organ toxicity — Single H3 exposure, Category 3, Respiratory tract irritation Full text of H statements : see section 16	318 335
Category 1 Specific target organ toxicity — Single H3 exposure, Category 3, Respiratory tract irritation Full text of H statements : see section 16 Adverse physicochemical, human health	335 and environmental effects
Category 1 Specific target organ toxicity — Single H3 exposure, Category 3, Respiratory tract irritation Full text of H statements : see section 16 Adverse physicochemical, human health Causes skin irritation. Causes serious eye d	335 and environmental effects
Category 1 Specific target organ toxicity — Single H3 exposure, Category 3, Respiratory tract irritation Full text of H statements : see section 16 Adverse physicochemical, human health Causes skin irritation. Causes serious eye d 2.2. Label elements Labelling according to Regulation (EC) N	335 and environmental effects damage.
Category 1 Specific target organ toxicity — Single H3 exposure, Category 3, Respiratory tract irritation Full text of H statements : see section 16 Adverse physicochemical, human health Causes skin irritation. Causes serious eye d 2.2. Label elements Labelling according to Regulation (EC) N	335 and environmental effects damage. Io. 1272/2008 [CLP]
Category 1 Specific target organ toxicity — Single H3 exposure, Category 3, Respiratory tract irritation Full text of H statements : see section 16 Adverse physicochemical, human health Causes skin irritation. Causes serious eye d 2.2. Label elements Labelling according to Regulation (EC) N Hazard pictograms (CLP)	335 and environmental effects damage.
Category 1 Specific target organ toxicity — Single H3 exposure, Category 3, Respiratory tract irritation Full text of H statements : see section 16 Adverse physicochemical, human health Causes skin irritation. Causes serious eye d 2.2. Label elements Labelling according to Regulation (EC) N Hazard pictograms (CLP) Signal word (CLP)	335 and environmental effects damage. Io. 1272/2008 [CLP] : : : : : : : : : : : : : : : : : : :
Category 1 Specific target organ toxicity — Single H3 exposure, Category 3, Respiratory tract irritation Full text of H statements : see section 16 Adverse physicochemical, human health Causes skin irritation. Causes serious eye d 2.2. Label elements	and environmental effects damage. Io. 1272/2008 [CLP] T T GHS05 GHS05 GHS07 T T Danger
Category 1 Specific target organ toxicity — Single H3 exposure, Category 3, Respiratory tract irritation Full text of H statements : see section 16 Adverse physicochemical, human health Causes skin irritation. Causes serious eye d 2.2. Label elements Labelling according to Regulation (EC) N Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients	 and environmental effects damage. b. 1272/2008 [CLP] i Outland cement Portland cement H315 - Causes skin irritation. H318 - Causes serious eye damage.

Safety Data Sheet

according to Regulation (EU) 2015/830

regulations.

2.3.	Other hazards	
Other hazards not contributing to the classification		 The product contains chromate reducer, whereby the content of water-soluble chromium (VI) is less than 0.0002%. With proper storage (dry) and consumption within the specified storage time, a sensitizing effect of the cement / binder by contact with skin cannot occur (H317 or EUH203 can therefore be omitted).
PBT: not relevant – no registration required vPvB: not relevant – no registration required		

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Portland cement	(CAS-No.) 65997-15-1 (EC-No.) 266-043-4	> 20%	Skin Sens. 1, H317 Eye Dam. 1, H318 Skin Irrit. 2, H315 STOT SE 3, H335

Comments

: Chromium (VI) compounds < 2 ppm

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: If the person is fully conscious, make him/her drink plenty of water. Never give an unconscious person anything to drink.
4.2. Most important symptoms and effe	cts, both acute and delayed
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Serious damage to eyes.
4.3. Indication of any immediate medica	al attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Non flammable.
5.2. Special hazards arising from the su	ibstance or mixture
Fire hazard	: No fire hazard.
Explosion hazard	: None.
Hazardous decomposition products in case of fire	: None.
5.3. Advice for firefighters	
Precautionary measures fire	: No specific measures are necessary.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release mea	sures
6.1. Personal precautions, protective ed	quipment and emergency procedures
General measures	: Absorb spillage to prevent material damage.
6.1.1. For non-emergency personnel	
Protective equipment	: Precautions for safe handling. See Heading 7.
FIOLECLIVE Equipment	. Trecautions for sale nationing. See neading 7.

Safety Data Sheet

according to Regulation (EU) 2015/830

iccording to R	tegulation (EU) 2015/830		
6.1.2. F	or emergency responders		
Emergency	/ procedures	:	No specific measures are necessary.
6.2. E	Environmental precautions		
Prevent en	try to sewers and public waters.		
6.3. N	lethods and material for containm	nent	and cleaning up
For contain	iment	:	Collect spillage.
Methods fo	r cleaning up	:	Mechanically recover the product. Minimize generation of dust. Collect spillage. Do not use compressed air for cleaning.
6.4. F	Reference to other sections		
For further	information refer to section 13. See	Hea	iding 8.
SECTIO	N 7: Handling and storage		
7.1. F	Precautions for safe handling		
Additional I	nazards when processed	:	See Heading 8.
Precaution	s for safe handling	:	Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene m	easures	:	Wear protective gloves. Do not eat, drink or smoke when using this product.
7.2. 0	Conditions for safe storage, includ	ling	any incompatibilities
Storage co	nditions	:	Protect from moisture. Store in a dry place. The product contains chromate reducer, whereby the content of water-soluble chromium (VI) is less than 0.0002%. With proper storage (dry) and consumption within the specified storage time, a sensitizing effect of the cement / binder by contact with skin cannot occur (H317 or EUH203 can therefore be omitted).
Incompatib	le materials	:	Aluminium.
Storage are	ea	:	dry.
7.3. 5	Specific end use(s)		
No addition	al information available		
SECTIO	N 8: Exposure controls/pers	sor	al protection
	Control parameters		
	cement (65997-15-1)		
- FUI LIAITU	Cement (05337=13=1)		

Portland cement (65997-15-1)			
United Kingdom	Local name	Portland cement	
United Kingdom	WEL TWA (mg/m ³)	10 mg/m³ 4 mg/m³	

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protective equipment:

In case of splash hazard: safety glasses. Dust formation: dust mask. Gloves.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

If the occupational exposure limit is exceeded:



Safety Data Sheet

according to Regulation (EU) 2015/830

Environmental exposure controls:

Avoid release to the environment.

Other information:

Use care during processing to minimize generation of dust. Avoid creating or spreading dust.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	d chemical properties
Physical state	: Solid
Appearance	: Powder.
Colour	: Grey. white.
Odour	: odourless.
Odour threshold	: No data available
pH	: <= 11.5
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: > 1250 °C
Freezing point	: Not applicable
Boiling point	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: Not applicable
Density	: 2.75 - 3.2 g/cm ³
Solubility	: Water: 0.1 - 1.5 g/l @ 20°C
Log Pow	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: Not applicable
Explosive properties	: None.
Oxidising properties	: None.
Explosive limits	: Not applicable
9.2. Other information	
VOC content	: <3%
Bulk density	: 900 - 1300 kg/m³
SECTION 10: Stability and reactivi	ity
10.1. Reactivity	
Reacts with water.	
10.2. Chemical stability	
Stable under normal conditions.	

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Acids. ammonium salts. Aluminium.

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information			
11.1. Information on toxicological effects			
Acute toxicity	: Not classified		
Skin corrosion/irritation	: Causes skin irritation. pH: <= 11.5		

Safety Data Sheet

according to Regulation (EU) 2015/830	
Serious eye damage/irritation	: Causes serious eye damage.
	pH: <= 11.5
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Irritation: severely irritant to eyes.

SECT	ION 12: Ecological information	
12.1.	Toxicity	
Ecology	r - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Portla	nd cement (65997-15-1)	
LC50	fish 1	> 1000 mg/l (96 h, Pisces)
12.2.	Persistence and degradability	
	X A 38	
	tence and degradability	Not applicable. Inorganic Particulate Substances.
	% of ThOD)	Not applicable
	,	
	tence and degradability	Diadagradability: not applicable
	emical oxygen demand (BOD)	Biodegradability: not applicable. Not applicable
	ical oxygen demand (COD)	Not applicable
ThOD		Not applicable
	% of ThOD)	Not applicable
12.3.	Bioaccumulative potential	
	X A 38	
	cumulative potential	No bioaccumulation.
Portla	nd cement (65997-15-1)	1
	cumulative potential	Bioaccumulation: not applicable.
12.4.	Mobility in soil	
ARDE	X A 38	
Ecolo	gy - soil	None.
Portla	nd cement (65997-15-1)	•
	gy - soil	No (test)data on mobility of the substance available.
12.5.	Results of PBT and vPvB assessmen	
ARDE	X A 38	
PBT:	not relevant – no registration required	
	not relevant – no registration required	
	onent	
•	nd cement (65997-15-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Regional legislation (waste)	: Disposal must be done according to official regulations.	
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment.	
Ecology - waste materials	: Avoid release to the environment.	
European List of Waste (LoW) code	: 17 01 01 - concrete 10 13 14 - waste concrete and concrete sludge	

Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 14: Transport information

In accordance with ADR / IATA / IMDG			
ADR	IMDG	ΙΑΤΑ	
14.1. UN number			
Not applicable	Not applicable	Not applicable	
14.2. UN proper shipping name			
Not applicable	Not applicable	Not applicable	
Not applicable	Not applicable	Not applicable	
14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	
Not applicable	Not applicable	Not applicable	
14.4. Packing group			
Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards			
Not applicable	Not applicable	Not applicable	
No supplementary information available			

14.6. Special precautions for user

- Overland transport

Not applicable

- Transport by sea

Not applicable

- Air transport

Not applicable

Transport in bulk according to Annex II of Marpol and the IBC Code 14.7.

Not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.

15.1.1. **EU-Regulations**

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

VOC content

: < 3 %

ARDEX A 38 Safety Data Sheet

according to Regulation (EU) 2015/830

Other information, restriction and prohibition regulations	: 1.Cement and cement-containing mixtures shall not be placed on the market, or used, if they contain, when hydrated, more than 2 mg/kg (0,0002 %) soluble chromium VI of the total dry weight of the cement.
	2.If reducing agents are used, then without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of cement or cement-containing mixtures is visibly, legibly and indelibly marked with information on the packing date as well as on the storage conditions and the storage period appropriate to maintaining the activity of the reducing agent and to keeping the content of soluble chromium VI below the limit indicated in paragraph 1.
	3.By way of derogation, paragraphs 1 and 2 shall not apply to the placing on the market for, and use in, controlled closed and totally automated processes in which cement and cement- containing mixtures are handled solely by machines and in which there is no possibility of contact with the skin.
	4. The standard adopted by the European Committee for Standardization (CEN) for testing the water-soluble chromium (VI) content of cement and cement-containing mixtures shall be used as the test method for demonstrating conformity with paragraph 1.
	5. Leather articles coming into contact with the skin shall not be placed on the market where they contain chromium VI in concentrations equal to or greater than 3 mg/kg (0,0003 % by weight) of the total dry weight of the leather.
	6. Articles containing leather parts coming into contact with the skin shall not be placed on the market where any of those leather parts contains chromium VI in concentrations equal to or greater than 3 mg/kg (0,0003 % by weight) of the total dry weight of that leather part.
	7. Paragraphs 5 and 6 shall not apply to the placing on the market of second-hand articles which were in end-use in the Union before 1 May 2015.

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:

Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.

ARDEX SDS EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product