

Safety Data Sheet

Conforms to - Regulation (EC) No. 1907/2006 (REACH), Article 31, Annex II, as amended by UKSI 2021/904

PROFLOW TRADE PART B

Date of first edition: 6/12/2024 Safety Data Sheet dated 12/06/2024

version 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: PROFLOW TRADE PART B

Trade code: KA0477

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: additive

Uses advised against: All uses other than recommended ones

1.3. Details of the supplier of the safety data sheet

Kerakoll UK Itd

Tomlinson Road, Leyland, Lancashire, PR25 2DY, United Kingdom

Tel. 01772 456831 safety@kerakoll.co.uk

1.4. Emergency telephone number

UK National Poisons Information Service.

E-mail: npis.birmingham@nhs.net; Tel: +44 (0)344 892 0111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP regulation:

The product is not classified as dangerous according to GB CLP regulation.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

The product is not classified as dangerous according to GB CLP regulation.

Special Provisions:

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction. EUH208 Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one

(3:1). May produce an allergic reaction.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None.

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%

Other Hazards: No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Mixture identification: PROFLOW TRADE PART B

Hazardous components within the meaning of the CLP regulation and related classification:

Qty Name Ident. Numb. Classification Registration Number

Date 12/06/2024 Production Name PROFLOW TRADE PART B Page n. 1 of 9

<0.05 % 1,2-benzisothiazol-3(2H)-one; 1,2- CAS:2634-33-5 benzisothiazolin-3-one

EC:220-120-9 Index:613-088-

00-6

Eye Dam. 1, H318 Skin Irrit. 2, H315 Acute Tox. 4, H302 Aquatic Acute 1, H400 Skin Sens. 1, H317 01-2120761540-60

Specific Concentration Limits: C ≥ 0.05%: Skin Sens. 1 H317

<0.0015 % reaction mass of 5-chloro-2methyl-2H-isothiazol-3-one and 2- Index:613-167- H310 Acute Tox. 3, H301 Skin methyl-2H-isothiazol-3-one (3:1) 00-5

CAS:55965-84-9 Acute Tox. 2, H330 Acute Tox. 2,

Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410, M-Chronic:100, M-Acute:100, EUH071

Specific Concentration Limits: C ≥ 0.6%: Skin Corr. 1C H314 $0.06\% \le C < 0.6\%$: Skin Irrit. 2 H315 C ≥ 0.6%: Eye Dam. 1 H318 $0.06\% \le C < 0.6\%$: Eye Irrit. 2

C ≥ 0.0015%: Skin Sens. 1A H317

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and label hazardous.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

N.A.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non emergency personnel:

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

For emergency responders:

Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Date 12/06/2024 Production Name PROFLOW TRADE PART B Page n. 2 of Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

Recommendation(s)

None in particular

Industrial sector specific solutions:

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Community Occupational Exposure Limits (OEL)

OEL Type Country Occupational Exposure Limit

reaction mass of 5-chloro-2- NATIONAL GERMANY Long Term: 0.2 mg/m3; Short Term: 0.4 mg/m3 methyl-2H-isothiazol-3-one DFG; Long term and short term: inhalable fraction

methyl-2H-isothiazol-3-one DFG; Long term and short term: inhalable fraction and 2-methyl-2H-isothiazol- Source: TRGS900

3-one (3:1) CAS: 55965-84-9

NATIONAL AUSTRIA Long Term: 0.05 mg/m3

MAK, Sh Source: GKV, BGBl. II Nr. 156/2021

SUVA SWITZERLAN Long Term: 0.2 mg/m3; Short Term: 0.4 mg/m3

D TWA mg/m3: (i), S, SSC, VRS Peau Yeux / OAW Haut Auge

Source: suva.ch/valeurs-limites

Predicted No Effect Concentration (PNEC) values

1,2-benzisothiazol-3(2H)- Exposure Route: Fresh Water; PNEC Limit: 4.03 µg/l

one; 1,2-benzisothiazolin-

3-one

CAS: 2634-33-5

Exposure Route: Intermittent releases (fresh water); PNEC Limit: 1.1 µg/l

Exposure Route: Marine water; PNEC Limit: 403 ng/L

Exposure Route: Intermittent releases (marine water); PNEC Limit: 110 ng/L Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 1.03 mg/l

Exposure Route: Freshwater sediments; PNEC Limit: 49.9 µg/kg Exposure Route: Marine water sediments; PNEC Limit: 4.99 µg/kg

Exposure Route: Soil; PNEC Limit: 3 mg/kg

reaction mass of 5- Exposure Route: Fresh Water; PNEC Limit: 3.39 μ g/l chloro-2-methyl-2H-

isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

CAS: 55965-84-9

Exposure Route: Intermittent releases (fresh water); PNEC Limit: 3.39 µg/l

 Date
 12/06/2024
 Production Name
 PROFLOW TRADE PART B
 Page n. 3 of 9

Exposure Route: Marine water; PNEC Limit: 3.39 µg/l

Exposure Route: Intermittent releases (marine water); PNEC Limit: 3.39 μ g/l Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 230 μ g/l

Exposure Route: Freshwater sediments; PNEC Limit: 27 μ g/l Exposure Route: Marine water sediments; PNEC Limit: 27 μ g/l

Exposure Route: Soil; PNEC Limit: 10 µg/l

Derived No Effect Level (DNEL) values

1,2-benzisothiazol-3(2H)- Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects

one; 1,2-benzisothiazolin- Worker Professional: 6.81 mg/m³; Consumer: 1.2 mg/m³

3-one

CAS: 2634-33-5

Exposure Route: Human Dermal; Exposure Frequency: Long Term, systemic effects

Worker Professional: 966 μg/kg; Consumer: 345 μg/kg

reaction mass of 5chloro-2-methyl-2Hisothiazol-3-one and 2methyl-2H-isothiazol-3Exposure Route: Human Inhalation; Exposure Frequency: Long Term, local effects

Worker Professional: 20 μg/m³; Consumer: 20 μg/m³

methyl-2H-isothiazolone (3:1) CAS: 55965-84-9

Exposure Route: Human Inhalation; Exposure Frequency: Short Term, local effects Worker Professional: 40 $\mu g/m^3$; Consumer: 20 $\mu g/m^3$

Exposure Route: Human Oral; Exposure Frequency: Long Term, systemic effects

Consumer: 90 µg/kg

Exposure Route: Human Oral; Exposure Frequency: Short Term, systemic effects

Consumer: 110 µg/kg

8.2. Exposure controls

Eve protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Not needed for normal use.

Respiratory protection:

N.A

Thermal Hazards:

N.A.

Environmental exposure controls:

N.A.

Hygienic and Technical measures

N.A.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: White

Odour: Characteristic Odour threshold: N.A.

pH: 6.7 - 7.5

Kinematic viscosity: <= 20,5 mm2/sec (40 °C)

Melting point/freezing point: N.A.

Boiling point or initial boiling point and boiling range: > 35 °C (95 °F)

Flash point: > 93°C

Lower and upper explosion limit: N.A. Relative vapour density: N.A.

Vapour pressure: N.A.

Density and/or relative density: N.A.

Solubility in water: N.A. Solubility in oil: N.A.

Partition coefficient n-octanol/water (log value): N.A.

Date 12/06/2024 Production Name PROFLOW TRADE PART B Page n. 4 of 9

Auto-ignition temperature: N.A. Decomposition temperature: N.A.

Flammability: N.A.

Volatile Organic compounds - VOCs = N.A.

Particle characteristics:

Particle size: N.A. **9.2. Other information**

No other relevant information

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Data not available.

10.3. Possibility of hazardous reactions

None

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological Information of the Preparation

a) acute toxicity Not classified

Based on available data, the classification criteria are not met

Based on available data, the classification criteria are not met

c) serious eye damage/irritation Not classified

Based on available data, the classification criteria are not met

d) respiratory or skin sensitisation Not classified

Based on available data, the classification criteria are not met

e) germ cell mutagenicity Not classified

Based on available data, the classification criteria are not met

f) carcinogenicity Not classified

Based on available data, the classification criteria are not met

g) reproductive toxicity Not classified

Based on available data, the classification criteria are not met

h) STOT-single exposure Not classified

Based on available data, the classification criteria are not met

i) STOT-repeated exposure Not classified

Based on available data, the classification criteria are not met

j) aspiration hazard Not classified

Based on available data, the classification criteria are not met

Toxicological information on main components of the mixture:

1,2-benzisothiazol-3(2H)- a) acute toxicity

LD50 Oral Rat = 670 mg/kg

one; 1,2-benzisothiazolin-

3-one

LD50 Skin Rat > 2000 mg/kg

b) skin corrosion/irritation Skin Irritant Rabbit Negative

c) serious eye damage/irritation

Eye Corrosive Positive

irreversible damage

d) respiratory or skin

sensitisation

Skin Sensitization Guineapig Positive

f) carcinogenicity Genotoxicity Rat Negative Oral route

 Date
 12/06/2024
 Production Name
 PROFLOW TRADE PART B
 Page n. 5 of 9

mg/kg

reaction mass of 5chloro-2-methyl-2Hisothiazol-3-one and 2methyl-2H-isothiazol-3one (3:1) a) acute toxicity LD50 Oral Rat = 69 mg/kg

LD50 Skin Rabbit = 141 mg/kg LC50 Inhalation Rat = 0.33 mg/l 4h

b) skin corrosion/irritation Skin Irritant Rabbit Positive

c) serious eye damage/irritation Eye Corrosive Rabbit Positive

d) respiratory or skin sensitisation

Skin Sensitization Positive

f) carcinogenicity Genotoxicity Negative

Carcinogenicity Skin Negative

g) reproductive toxicity No Observed Adverse Effect Level Oral Rat = 22.7

ma/ka

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration >= 0.1%

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

List of Eco-Toxicological properties of the product

Not classified for environmental hazards.

No data available for the product

List of Eco-Toxicological properties of the components

Component	Ident. Numb.	Ecotox Data
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one		a) Aquatic acute toxicity: LC50 Fish Oncorynchus mykiss = 2.15 mg/L 96h OECD Guideline 203
		a) Aquatic acute toxicity : EC50 Daphnia Daphnia magna = $2.9 \text{ mg/L } 48 \text{h}$ OECD Guideline 202
		a) Aquatic acute toxicity : EC50 Algae green alga Selenastrum capricornutum freshwater algae = 110 μ g/L OECD Guideline 201

d) Terrestrial toxicity : EC50 Worm Eisenia fetida > 410.6 mg/kg OECD Guideline 207 - Duration 14d

d) Terrestrial toxicity: EC10 soil microorganisms = 263.7 mg/kg - long term

a) Aquatic acute toxicity : NOEC Sludge activated sludge 10.3 mg/L 3h OECD Guideline 209 $\,$

e) Plant toxicity: LC50 Triticum aestivum = 200 mg/kg OECD Guideline 208

reaction mass of 5-chloro-2- CAS: 55965-84- a) Aquatic acute toxicity: LC50 Fish Or methyl-2H-isothiazol-3-one and 2- 9 - INDEX: 613- EPA OPP 72-1 (Fish Acute Toxicity Test) methyl-2H-isothiazol-3-one (3:1) 167-00-5

a) Aquatic acute toxicity : LC50 Fish Oncorhynchus mykiss = 0.19 mg/L 96h EPA OPP 72-1 (Fish Acute Toxicity Test)

b) Aquatic chronic toxicity: NOEC Fish Danio rerio = 0.02 mg/L ,,OECD Guideline 210 (Fish, Early-Life Stage Toxicity Test) - 35days

a) Aquatic acute toxicity: LC50 Daphnia Daphnia magna = 0.16 mg/L 48h EPA OPP 72-2 (Aquatic Invertebrate Acute Toxicity Test)

b) Aquatic chronic toxicity: NOEC Daphnia Daphnia magna = 0.1 mg/L EPA OPP 72-4 (Fish Early Life-Stage and Aquatic Invertebrate Life-Cycle Studies) - 21days

Date 12/06/2024 Production Name PROFLOW TRADE PART B Page n. 6 of 9

- a) Aquatic acute toxicity: EC50 Algae Skeletonema costatum = 0 mg/L 96h ,,OECD Guideline 201 (Alga, Growth Inhibition Test)
- a) Aquatic acute toxicity: EC50 Sludge activated sludge = 4.5 mg/L 3h ,,OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test)
- d) Terrestrial toxicity: LC50 Worm Eisenia fetida = 613 mg/kg ,,OECD Guideline 207 (Earthworm, Acute Toxicity Tests) 14days
- e) Plant toxicity: NOEC Trifolium pratense, Oryza sativa, Brassica napus = 1000 mg/L OECD Guideline 208 (Terrestrial Plants Test: Seedling Emergence and Seedling Growth Test) 21days

12.2. Persistence and degradability

Component Persistence/Degradability: Test Notes:

1,2-benzisothiazol-3(2H)-one; 1,2- Non-readily biodegradable CO2 production OECD Guideline 301C

benzisothiazolin-3-one

reaction mass of 5-chloro-2- Non-readily biodegradable methyl-2H-isothiazol-3-one and 2-

methyl-2H-isothiazol-3-one and 2methyl-2H-isothiazol-3-one (3:1)

12.3. Bioaccumulative potential

Component	Bioaccumulation	Test	Value	Notes:
1,2-benzisothiazol-3(2H)-one; 1,2 benzisothiazolin-3-one	!- Bioaccumulative	BCF - Bioconcentrantion factor	6.620	
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2 methyl-2H-isothiazol-3-one (3:1)		BCF - Bioconcentrantion factor	54.000	≤ 54

12.4. Mobility in soil

NΑ

12.5. Results of PBT and vPvB assessment

No PBT or vPvB substances present in concentration >= 0.1%

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration >= 0.1%

12.7. Other adverse effects

N.A.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force. Disposal through discharge into wastewater is not permitted

SECTION 14: Transport information

Not classified as dangerous in the meaning of transport regulations.

14.1. UN number or ID number

N.A.

14.2. UN proper shipping name

N.A

14.3. Transport hazard class(es)

N.A.

14.4. Packing group

N.A.

14.5. Environmental hazards

N.A.

14.6. Special precautions for user

N.A.

Road and Rail (ADR-RID):

N.A.

Date 12/06/2024 Production Name PROFLOW TRADE PART B Page n. 7 of 9

Air (IATA): N.A. Sea (IMDG):

N.A.

14.7. Maritime transport in bulk according to IMO instruments

N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Workplace exposure limit within the meaning of the Control of Substances Hazardous to Health Regulations 2002 (WEL-EH40)

REACH regulation as changed by the REACH etc. (Amendment etc.) (EU Exit) Regulations (UK REACH)

CLP regulation as changed by the Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations (GB CLP)

GB PIC legislation - (Regulation (EU) No 649/2012 as changed by the Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc) (EU Exit) Regulations

Restrictions related to the product or the substances contained according to Annex XVII of UK REACH:

Restrictions related to the product: None.

Restrictions related to the substances contained: None.

Additional Regulatory Information for Great Britain

No Additional Information

Provisions related to the Control of Major Accident Hazards Regulations 2015 (GB implementation of Seveso III):

None

GB PIC Legislation:

No substances listed

SVHC Substances:

No SVHC substances present in concentration >= 0.1%

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor

BEI: Biological Exposure Index

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand

COV: Volatile Organic Compound

CSA: Chemical Safety Assessment

CSR: Chemical Safety Report

DMEL: Derived Minimal Effect Level

DNEL: Derived No Effect Level.

DPD: Dangerous Preparations Directive

DSD: Dangerous Substances Directive

EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

Date 12/06/2024 Production Name PROFLOW TRADE PART B Page n. 8 of 9

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

IC50: half maximal inhibitory concentration ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

IMDG: International Maritime Code for Dangerous Goods. INCI: International Nomenclature of Cosmetic Ingredients.

IRCCS: Scientific Institute for Research, Hospitalization and Health Care

KAFH: Keep Away From Heat KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LDLo: Lethal Dose Low N.A.: Not Applicable N/A: Not Applicable

N/D: Not defined/ Not available

NA: Not available

NIOSH: National Institute for Occupational Safety and Health

NOAEL: No Observed Adverse Effect Level

OSHA: Occupational Safety and Health Administration

PBT: Persistent, Bioaccumulative and Toxic

PGK: Packaging Instruction

PNEC: Predicted No Effect Concentration.

PSG: Passengers

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

vPvB: Very Persistent, Very Bioaccumulative

Date 12/06/2024 Production Name PROFLOW TRADE PART B Page n. 9 of